

```

Sub SP2Ben()
'
' SP2Ben Macro
' Macro recorded 5/21/2002 by Alan Ingalls
' This macro is designed to convert SPEzra text to BenEzra

' Begin by changing the font

With ActiveDocument.Content.Find
    .ClearFormatting
    .Font.Name = "SPEzra"
    With .Replacement
        .ClearFormatting
        .Font.Name = "BenEzra"
    End With
    .Execute FindText:="", ReplaceWith:"", Format:=True, Replace:=wdReplaceAll
End With

' Convert all final characters (kaph, mem, nun, pe, tsadhe)

With ActiveDocument.Content.Find
    .ClearFormatting
    .Font.Name = "BenEzra"
    With .Replacement
        .ClearFormatting
        .Font.Name = "BenEzra"
    End With
    .Execute FindText:="M", MatchCase:=True, ReplaceWith:="3", Format:=True, Replace:=wdReplaceAll
End With

With ActiveDocument.Content.Find
    .ClearFormatting
    .Font.Name = "BenEzra"
    With .Replacement
        .ClearFormatting
        .Font.Name = "BenEzra"
    End With
    .Execute FindText:="N", MatchCase:=True, ReplaceWith:="4", Format:=True, Replace:=wdReplaceAll
End With

With ActiveDocument.Content.Find
    .ClearFormatting
    .Font.Name = "BenEzra"
    With .Replacement
        .ClearFormatting
        .Font.Name = "BenEzra"
    End With
    .Execute FindText:="P", MatchCase:=True, ReplaceWith:="5", Format:=True, Replace:=wdReplaceAll
End With

With ActiveDocument.Content.Find
    .ClearFormatting
    .Font.Name = "BenEzra"
    With .Replacement
        .ClearFormatting
        .Font.Name = "BenEzra"
    End With
    .Execute FindText:="C", MatchCase:=True, ReplaceWith:="6", Format:=True, Replace:=wdReplaceAll
End With

With ActiveDocument.Content.Find
    .ClearFormatting
    .Font.Name = "BenEzra"
    With .Replacement
        .ClearFormatting
        .Font.Name = "BenEzra"
    End With
    .Execute FindText:="K1", MatchCase:=True, ReplaceWith:="1", Format:=True, Replace:=wdReplaceAll
End With

With ActiveDocument.Content.Find
    .ClearFormatting
    .Font.Name = "BenEzra"
    With .Replacement
        .ClearFormatting
        .Font.Name = "BenEzra"
    End With
    .Execute FindText:="K7", MatchCase:=True, ReplaceWith:="2", Format:=True, Replace:=wdReplaceAll

```

End With

With ActiveDocument.Content.Find

```
.ClearFormatting  
.Font.Name = "BenEzra"  
With .Replacement  
.ClearFormatting  
.Font.Name = "BenEzra"  
End With
```

```
.Execute FindText:="K", MatchCase:=True, ReplaceWith:="2", Format:=True, Replace:=wdReplaceAll
```

End With

' Convert lamedh + holem and pe + dagesh and tsadhe + dagesh combos

With ActiveDocument.Content.Find

```
.ClearFormatting  
.Font.Name = "BenEzra"  
With .Replacement  
.ClearFormatting  
.Font.Name = "BenEzra"  
End With
```

```
.Execute FindText:="$l", MatchCase:=True, ReplaceWith:="lo", Format:=True, Replace:=wdReplaceAll
```

End With

With ActiveDocument.Content.Find

```
.ClearFormatting  
.Font.Name = "BenEzra"  
With .Replacement  
.ClearFormatting  
.Font.Name = "BenEzra"  
End With
```

```
.Execute FindText:="p7", MatchCase:=True, ReplaceWith:="P", Format:=True, Replace:=wdReplaceAll
```

End With

With ActiveDocument.Content.Find

```
.ClearFormatting  
.Font.Name = "BenEzra"  
With .Replacement  
.ClearFormatting  
.Font.Name = "BenEzra"  
End With
```

```
.Execute FindText:="c7", MatchCase:=True, ReplaceWith:="C", Format:=True, Replace:=wdReplaceAll
```

End With

' Convert accent mark, sureq and holem waw

With ActiveDocument.Content.Find

```
.ClearFormatting  
.Font.Name = "BenEzra"  
With .Replacement  
.ClearFormatting  
.Font.Name = "BenEzra"  
End With
```

```
.Execute FindText:="G", MatchCase:=True, ReplaceWith:="^^", Format:=True, Replace:=wdReplaceAll
```

End With

With ActiveDocument.Content.Find

```
.ClearFormatting  
.Font.Name = "BenEzra"  
With .Replacement  
.ClearFormatting  
.Font.Name = "BenEzra"  
End With
```

```
.Execute FindText:="w&", MatchCase:=True, ReplaceWith:="[", Format:=True, Replace:=wdReplaceAll
```

End With

With ActiveDocument.Content.Find

```
.ClearFormatting  
.Font.Name = "BenEzra"  
With .Replacement  
.ClearFormatting  
.Font.Name = "BenEzra"  
End With
```

```
.Execute FindText:="w@", MatchCase:=True, ReplaceWith:="W", Format:=True, Replace:=wdReplaceAll
```

End With

' Reverse vowels and overstrike dageshes

```
With ActiveDocument.Content.Find
    .ClearFormatting
    .Font.Name = "BenEzra"
With .Replacement
    .ClearFormatting
    .Font.Name = "BenEzra"
End With
    .Execute FindText:="a@", MatchCase:=True, ReplaceWith:="@a", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
    .ClearFormatting
    .Font.Name = "BenEzra"
With .Replacement
    .ClearFormatting
    .Font.Name = "BenEzra"
End With
    .Execute FindText:="f@", MatchCase:=True, ReplaceWith:="@f", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
    .ClearFormatting
    .Font.Name = "BenEzra"
With .Replacement
    .ClearFormatting
    .Font.Name = "BenEzra"
End With
    .Execute FindText:="j@", MatchCase:=True, ReplaceWith:="@j", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
    .ClearFormatting
    .Font.Name = "BenEzra"
With .Replacement
    .ClearFormatting
    .Font.Name = "BenEzra"
End With
    .Execute FindText:="i@", MatchCase:=True, ReplaceWith:="@i", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
    .ClearFormatting
    .Font.Name = "BenEzra"
With .Replacement
    .ClearFormatting
    .Font.Name = "BenEzra"
End With
    .Execute FindText:="e@", MatchCase:=True, ReplaceWith:="@e", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
    .ClearFormatting
    .Font.Name = "BenEzra"
With .Replacement
    .ClearFormatting
    .Font.Name = "BenEzra"
End With
    .Execute FindText:="""@", MatchCase:=True, ReplaceWith:="@", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
    .ClearFormatting
    .Font.Name = "BenEzra"
With .Replacement
    .ClearFormatting
    .Font.Name = "BenEzra"
End With
    .Execute FindText:="""", MatchCase:=True, ReplaceWith:="""", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
    .ClearFormatting
    .Font.Name = "BenEzra"
With .Replacement
    .ClearFormatting
    .Font.Name = "BenEzra"
End With
    .Execute FindText:="v@", MatchCase:=True, ReplaceWith:="@v", Format:=True, Replace:=wdReplaceAll
```

End With

```
With ActiveDocument.Content.Find
    .ClearFormatting
    .Font.Name = "BenEzra"
With .Replacement
    .ClearFormatting
    .Font.Name = "BenEzra"
End With
    .Execute FindText:="o@", MatchCase:=True, ReplaceWith:="@o", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
    .ClearFormatting
    .Font.Name = "BenEzra"
With .Replacement
    .ClearFormatting
    .Font.Name = "BenEzra"
End With
    .Execute FindText:="u@", MatchCase:=True, ReplaceWith:="@u", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
    .ClearFormatting
    .Font.Name = "BenEzra"
With .Replacement
    .ClearFormatting
    .Font.Name = "BenEzra"
End With
    .Execute FindText:="/@", MatchCase:=True, ReplaceWith:="@/", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
    .ClearFormatting
    .Font.Name = "BenEzra"
With .Replacement
    .ClearFormatting
    .Font.Name = "BenEzra"
End With
    .Execute FindText:=":@", MatchCase:=True, ReplaceWith:="@:", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
    .ClearFormatting
    .Font.Name = "BenEzra"
With .Replacement
    .ClearFormatting
    .Font.Name = "BenEzra"
End With
    .Execute FindText:=":", MatchCase:=True, ReplaceWith:=";", Format:=True, Replace:=wdReplaceAll
End With
```

' Convert consonant + overstrike daghesh to combined character
' inserting tag with narrow consonants (gimel, yod, nun, zayin)

```
With ActiveDocument.Content.Find
    .ClearFormatting
    .Font.Name = "BenEzra"
With .Replacement
    .ClearFormatting
    .Font.Name = "BenEzra"
End With
    .Execute FindText:="b@", MatchCase:=True, ReplaceWith:="B", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
    .ClearFormatting
    .Font.Name = "BenEzra"
With .Replacement
    .ClearFormatting
    .Font.Name = "BenEzra"
End With
    .Execute FindText:="g@", MatchCase:=True, ReplaceWith:="G!", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
    .ClearFormatting
    .Font.Name = "BenEzra"
```

```
With .Replacement
    .ClearFormatting
    .Font.Name = "BenEzra"
End With
.Execute FindText:="d@", MatchCase:=True, ReplaceWith:="D", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
    .ClearFormatting
    .Font.Name = "BenEzra"
With .Replacement
    .ClearFormatting
    .Font.Name = "BenEzra"
End With
.Execute FindText:="h@", MatchCase:=True, ReplaceWith:="H", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
    .ClearFormatting
    .Font.Name = "BenEzra"
With .Replacement
    .ClearFormatting
    .Font.Name = "BenEzra"
End With
.Execute FindText:="z@", MatchCase:=True, ReplaceWith:="Z!", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
    .ClearFormatting
    .Font.Name = "BenEzra"
With .Replacement
    .ClearFormatting
    .Font.Name = "BenEzra"
End With
.Execute FindText:="+@", MatchCase:=True, ReplaceWith:="*", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
    .ClearFormatting
    .Font.Name = "BenEzra"
With .Replacement
    .ClearFormatting
    .Font.Name = "BenEzra"
End With
.Execute FindText:="y,", MatchCase:=True, ReplaceWith:="Y!", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
    .ClearFormatting
    .Font.Name = "BenEzra"
With .Replacement
    .ClearFormatting
    .Font.Name = "BenEzra"
End With
.Execute FindText:="y", MatchCase:=True, ReplaceWith:="y!", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
    .ClearFormatting
    .Font.Name = "BenEzra"
With .Replacement
    .ClearFormatting
    .Font.Name = "BenEzra"
End With
.Execute FindText:="k@", MatchCase:=True, ReplaceWith:="K", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
    .ClearFormatting
    .Font.Name = "BenEzra"
With .Replacement
    .ClearFormatting
    .Font.Name = "BenEzra"
End With
.Execute FindText:="l@", MatchCase:=True, ReplaceWith:="L", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
```

```
.ClearFormatting
.Font.Name = "BenEzra"
With .Replacement
.ClearFormatting
.Font.Name = "BenEzra"
End With
.Execute FindText:="m@", MatchCase:=True, ReplaceWith:="M", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
.ClearFormatting
.Font.Name = "BenEzra"
With .Replacement
.ClearFormatting
.Font.Name = "BenEzra"
End With
.Execute FindText:="n@", MatchCase:=True, ReplaceWith:="N!", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
.ClearFormatting
.Font.Name = "BenEzra"
With .Replacement
.ClearFormatting
.Font.Name = "BenEzra"
End With
.Execute FindText:="s@", MatchCase:=True, ReplaceWith:="S", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
.ClearFormatting
.Font.Name = "BenEzra"
With .Replacement
.ClearFormatting
.Font.Name = "BenEzra"
End With
.Execute FindText:="p@", MatchCase:=True, ReplaceWith:="P", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
.ClearFormatting
.Font.Name = "BenEzra"
With .Replacement
.ClearFormatting
.Font.Name = "BenEzra"
End With
.Execute FindText:="c@", MatchCase:=True, ReplaceWith:="C", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
.ClearFormatting
.Font.Name = "BenEzra"
With .Replacement
.ClearFormatting
.Font.Name = "BenEzra"
End With
.Execute FindText:="q@", MatchCase:=True, ReplaceWith:="Q", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
.ClearFormatting
.Font.Name = "BenEzra"
With .Replacement
.ClearFormatting
.Font.Name = "BenEzra"
End With
.Execute FindText:="&#", MatchCase:=True, ReplaceWith:="#", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
.ClearFormatting
.Font.Name = "BenEzra"
With .Replacement
.ClearFormatting
.Font.Name = "BenEzra"
End With
.Execute FindText:="#$", MatchCase:=True, ReplaceWith:="$", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
.ClearFormatting
.Font.Name = "BenEzra"
With .Replacement
.ClearFormatting
.Font.Name = "BenEzra"
End With
.Execute FindText:="&", MatchCase:=True, ReplaceWith:="o", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
.ClearFormatting
.Font.Name = "BenEzra"
With .Replacement
.ClearFormatting
.Font.Name = "BenEzra"
End With
.Execute FindText:="#@", MatchCase:=True, ReplaceWith:="7", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
.ClearFormatting
.Font.Name = "BenEzra"
With .Replacement
.ClearFormatting
.Font.Name = "BenEzra"
End With
.Execute FindText:="$@", MatchCase:=True, ReplaceWith:="8", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
.ClearFormatting
.Font.Name = "BenEzra"
With .Replacement
.ClearFormatting
.Font.Name = "BenEzra"
End With
.Execute FindText:="t@", MatchCase:=True, ReplaceWith:="T", Format:=True, Replace:=wdReplaceAll
End With
```

' Add tags to narrow characters not converted to combined

```
With ActiveDocument.Content.Find
.ClearFormatting
.Font.Name = "BenEzra"
With .Replacement
.ClearFormatting
.Font.Name = "BenEzra"
End With
.Execute FindText:="g", MatchCase:=True, ReplaceWith:="g!", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
.ClearFormatting
.Font.Name = "BenEzra"
With .Replacement
.ClearFormatting
.Font.Name = "BenEzra"
End With
.Execute FindText:="z", MatchCase:=True, ReplaceWith:="z!", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
.ClearFormatting
.Font.Name = "BenEzra"
With .Replacement
.ClearFormatting
.Font.Name = "BenEzra"
End With
.Execute FindText:="n", MatchCase:=True, ReplaceWith:="n!", Format:=True, Replace:=wdReplaceAll
End With
```

' Change wide vowels to narrow with narrow consonants

```
With ActiveDocument.Content.Find
.ClearFormatting
.Font.Name = "BenEzra"
```

```
With .Replacement
    .ClearFormatting
    .Font.Name = "BenEzra"
End With
.Execute FindText:="!f", MatchCase:=True, ReplaceWith:="F", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
    .ClearFormatting
    .Font.Name = "BenEzra"
With .Replacement
    .ClearFormatting
    .Font.Name = "BenEzra"
End With
.Execute FindText:="!a", MatchCase:=True, ReplaceWith:="A", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
    .ClearFormatting
    .Font.Name = "BenEzra"
With .Replacement
    .ClearFormatting
    .Font.Name = "BenEzra"
End With
.Execute FindText:="!j", MatchCase:=True, ReplaceWith:="J", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
    .ClearFormatting
    .Font.Name = "BenEzra"
With .Replacement
    .ClearFormatting
    .Font.Name = "BenEzra"
End With
.Execute FindText:="!i", MatchCase:=True, ReplaceWith:="I", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
    .ClearFormatting
    .Font.Name = "BenEzra"
With .Replacement
    .ClearFormatting
    .Font.Name = "BenEzra"
End With
.Execute FindText:="!e", MatchCase:=True, ReplaceWith:="E", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
    .ClearFormatting
    .Font.Name = "BenEzra"
With .Replacement
    .ClearFormatting
    .Font.Name = "BenEzra"
End With
.Execute FindText:="!l", MatchCase:=True, ReplaceWith:="L", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
    .ClearFormatting
    .Font.Name = "BenEzra"
With .Replacement
    .ClearFormatting
    .Font.Name = "BenEzra"
End With
.Execute FindText:="!v", MatchCase:=True, ReplaceWith:="V", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
    .ClearFormatting
    .Font.Name = "BenEzra"
With .Replacement
    .ClearFormatting
    .Font.Name = "BenEzra"
End With
.Execute FindText:="!o", MatchCase:=True, ReplaceWith:="O", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
```

```
.ClearFormatting
.Font.Name = "BenEzra"
With .Replacement
.ClearFormatting
.Font.Name = "BenEzra"
End With
.Execute FindText:="!u", MatchCase:=True, ReplaceWith:="U", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
.ClearFormatting
.Font.Name = "BenEzra"
With .Replacement
.ClearFormatting
.Font.Name = "BenEzra"
End With
.Execute FindText:="!", MatchCase:=True, ReplaceWith:="", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
.ClearFormatting
.Font.Name = "BenEzra"
With .Replacement
.ClearFormatting
.Font.Name = "BenEzra"
End With
.Execute FindText:="!", MatchCase:=True, ReplaceWith:=":", Format:=True, Replace:=wdReplaceAll
End With
```

' Remove un-needed tags

```
With ActiveDocument.Content.Find
.ClearFormatting
.Font.Name = "BenEzra"
With .Replacement
.ClearFormatting
.Font.Name = "BenEzra"
End With
.Execute FindText:="z!", MatchCase:=True, ReplaceWith:="z", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
.ClearFormatting
.Font.Name = "BenEzra"
With .Replacement
.ClearFormatting
.Font.Name = "BenEzra"
End With
.Execute FindText:="y!", MatchCase:=True, ReplaceWith:="y", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
.ClearFormatting
.Font.Name = "BenEzra"
With .Replacement
.ClearFormatting
.Font.Name = "BenEzra"
End With
.Execute FindText:="n!", MatchCase:=True, ReplaceWith:="n", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
.ClearFormatting
.Font.Name = "BenEzra"
With .Replacement
.ClearFormatting
.Font.Name = "BenEzra"
End With
.Execute FindText:="g!", MatchCase:=True, ReplaceWith:="g", Format:=True, Replace:=wdReplaceAll
End With
```

```
With ActiveDocument.Content.Find
.ClearFormatting
.Font.Name = "BenEzra"
With .Replacement
.ClearFormatting
.Font.Name = "BenEzra"
End With
```

```
.Execute FindText:="Y!", MatchCase:=True, ReplaceWith:="Y", Format:=True, Replace:=wdReplaceAll  
End With
```

```
With ActiveDocument.Content.Find
```

```
.ClearFormatting  
.Font.Name = "BenEzra"  
With .Replacement  
.ClearFormatting  
.Font.Name = "BenEzra"
```

```
End With
```

```
.Execute FindText:="N!", MatchCase:=True, ReplaceWith:="N", Format:=True, Replace:=wdReplaceAll  
End With
```

```
With ActiveDocument.Content.Find
```

```
.ClearFormatting  
.Font.Name = "BenEzra"  
With .Replacement  
.ClearFormatting  
.Font.Name = "BenEzra"
```

```
End With
```

```
.Execute FindText:="G!", MatchCase:=True, ReplaceWith:="G", Format:=True, Replace:=wdReplaceAll  
End With
```

```
With ActiveDocument.Content.Find
```

```
.ClearFormatting  
.Font.Name = "BenEzra"  
With .Replacement  
.ClearFormatting  
.Font.Name = "BenEzra"
```

```
End With
```

```
.Execute FindText:="Z!", MatchCase:=True, ReplaceWith:="Z", Format:=True, Replace:=wdReplaceAll  
End With
```

```
End Sub
```